


STYLE A BARGAIN LIST




ITEM	WIDTH (A)	HEIGHT (B)	LENGTH (C)	SLOT (D)	TONGUE (E)	HOLE SPACE (F)	SCREW SIZE (G)	CATALOG J-DIM (REF)	NOSE TYPE	MATERIAL	WEIGHT PER SET	QTY. PCS
10MDA230	2	2 1/2	6	0.502	0.749	2.125	1/2	3 7/8	30	6061	9	22
10MDS1SPL	2	2	6	0.502	0.749	2.125	1/2	1 13/16	60	1018	20	15
10MDS230	2	3	4 1/4	0.502	0.749	2.125	1/2	2 3/16	30	1018	22	63
10MDS8	1 1/2	8	3 13/16	0.502	0.749	2.125	1/2	1 3/4	60	1018	39	5
12HDS4-OF	2	3	6.35	0.502	0.749	2.500	5/8	4	SQ	1018	32	13
12MDA7OS	2	7	5 1/32	0.502	0.750	2.500	1/2	2 21/32	30	6061	21	12
12MDS2B	2	3	6	0.502	0.749	2.500	1/2	2 7/8	60	1018	31	18
15MDASPL	2	2	6	0.502	0.749	3.000	5/8	3 1/4	30	6061	7	8
6HDA-2J	2	2	3	0.314	0.501	1.500	7/16	1 1/2	SQ	6061	2	3
6MDS1-2J	1 5/8	3	2 1/2	0.313	0.499	1.500	3/8	1	SQ	1018	7	2
6MDS2	1 1/4	1 3/4	3 3/16	0.314	0.499	1.500	3/8	1 11/16	30	1018	6	70
8HDA	1 1/4	2	3 3/8	0.314	0.501	1.750	1/2	1 5/8	SQ	6061	2	3
8HDS1	1 1/4	2	3 9/16	0.314	0.499	1.750	1/2	2	30	1018	8	13
8HDS2	1 1/4	3	3 1/2	0.314	0.499	1.750	1/2	1 7/8	30	1018	11	4
8MDS5-60	1 1/4	2	3 1/2	0.314	0.499	1.750	3/8	1 7/8	60	1018	7	10
A3002S	2	2 1/2	5 3/8	0.502	0.749	2.500	1/2	2 31/32	SQ	1018	23	18
A3015S-8.75L	3	3	8 3/4	0.502	0.749	3.000	3/4	6	SQ	1018	67	4
ABB628BCPEDJ*	2	2 1/2	5 1/2	0.502	0.749	3.000	5/8	2 3/4	30	1018	23	52
BERG12A	2	2	6	0.553	0.764	2.375	1/2	3 3/4	30	6061	7	14
BERG9A	1 1/2	2	4 1/2	0.553	0.694	1.985	7/16	2 11/16	30	6061	4	22
CAD10A	1 1/2	2	5	0.402	0.759	2.000	1/2	2 3/4	30	6061	4	43
CAD10S	1 1/2	2	5	0.402	0.759	2.000	1/2	2 3/4	30	1018	13	57
CAD10S1	1 1/2	3	5	0.402	0.759	2.000	1/2	2 3/4	30	1018	19	20
CAD8S	1 1/4	2	4	0.321	0.509	1.625	7/16	2 1/4	30	1018	9	8
CAD8S1	1 1/4	3	4	0.321	0.509	1.625	7/16	2 1/4	30	1018	13	45
M12MDA5	2	5	5 1/16	0.475	0.789	1.574	M12	2 7/8	SQ	6061	15	9
M8MDA1-2W	2	3	4 1/2	0.395	0.789	1.574	M8	2	SQ	6061	8	41
M8MDA-CK	1 1/2	2	4 25/32	0.395	0.789	1.574	M8	2	60	6061	4	10
ST318-02B-35-31	1 1/4	3	3 1/2	0.315	0.498	1.750	3/8	1 1/2	70	6061	4	29
ST318-02B-35-41	1 1/4	4	3 1/2	0.315	0.498	1.750	3/8	1 1/2	70	6061	5	32
ST318-02B-35-51	1 1/4	5	3 1/2	0.315	0.498	1.750	3/8	1 1/2	70	6061	6	12
M12MDS6L	2	2	6	0.473	0.786	1.574	M12	3 3/4	SQ	1018	20	25
M8MDS2-2W	2	4	4 1/2	0.394	0.786	1.574	M8	2	SQ	1018	31	30
WAK10S**	1 1/2	2	5 1/16	0.477	0.782	1.574	M12	2 25/32	SQ	1018	13	20
WAKB250S	2 1/2	3	4	0.473	0.786	1.574	M12	2	SQ	1018	26	69
WAKB250S1	2 1/2	4	4	0.473	0.786	1.574	M12	2	SQ	1018	34	60
WAKB250S2	2 1/2	5	5	0.473	0.786	1.574	M12	3	SQ	1018	53	10

* Part has a step that is 2 5/16 x 39/64" deep

** Part is named AWAK10S on shelf

STYLE B BARGAIN LIST



ITEM	WIDTH (A)	HEIGHT (B)	LENGTH (C)	SLOT (D)	CROSS SLOT (E)	HOLE SPACE (F)	SCREW SIZE (G)	CATALOG J-DIM (REF)	NOSE TYPE	MATERIAL	WEIGHT PER SET	QTY. PCS
10A2	2	2	6	0.752	0.997	1.750	1/2	3	SQ	6061	7	7
15A5	2 1/2	5	6	1.002	1.488	2.500	3/4	3 3/16	SQ	6061	22	20
15A7L	2 1/2	3	7	1.002	1.488	2.500	3/4	4 3/16	30	6061	15	33
6A4SPL	1 1/2	4	4	0.739	0.377	1.687	5/16	2 5/16	30	6061	7	9
6A6A3SSPL	1 1/4	3	3	0.739	0.377	1.687	5/16	1 1/2	SQ	1018	10	6
6S3SPL	1 1/2	3	4	0.867	0.380	2.031	5/16	2 3/8	SQ	1018	15	25
8S-30	1 1/2	2	4	0.502	0.752	1.437	3/8	2 23/32	30	1018	10	33
A3003S	2 1/2	3	6	1.002	1.488	2.500	3/4	2 9/16	SQ	1018	38	5
A3007S	2 1/2	3	6	1.002	1.488	2.500	3/4	3 3/4	SQ	1018	38	18
A37771SSQ**	1 3/4	3	4 1/4	0.750	0.996	1.779	1/2	2 1/2	SQ	1018	19	27
A3777S1**	1 3/4	3	4 5/32	0.750	0.996	2.754	1/2	2 13/32	30	1018	19	39
A3777S4****	1 3/4	2	4 5/8	0.750	0.996	1.751	1/2	2 7/8	30	1018	14	15
ABB2861S*	2	5	5 1/2	0.750	0.997	1.750	1/2	3 1/2	45	1018	47	6
ABB2862S*	2	2	5 1/2	0.750	1.002	1.750	1/2	3 1/2	45	1018	19	5
ABB2863A	2	3	4 1/2	0.750	1.002	1.750	1/2	2 1/2	45	6061	8	6
ABB286A	2	3	5 1/2	0.782	0.997	1.750	1/2	3 1/2	45	6061	10	19
ABB779S1	2 1/2	4 1/2	6 1/4	1.002	1.488	2.500	3/4	4 25/32		1018	60	3
ABB779S3	2 1/2	3	6 1/4	1.002	1.488	2.500	3/4	1 15/16	45	1018	40	7
ABBWC8S	1 1/2	2	3 7/16	0.752	0.747	1.437	1/2	1 15/16	SQ	1018	9	28
CHI10S	2	2	4	0.512	0.512	2.750	3/8	1 23/32	SQ	1018	14	61


* Part has a pad relief of 1.74

**Part length at work surface is 3.96 for 2 9/16 deep

***Part length at work surface is 4.04 for 2 9/16 deep; Part edge has 45 degree chamfer


****Part length at work surface is 4.04 for 1 9/16 deep

STYLE C BARGAIN LIST




ITEM	WIDTH (A)	HEIGHT (B)	LENGTH (C)	TONGUE (D)	CROSS SLOT (E)	HOLE SPACE (F)	SCREW SIZE (G)	CATALOG J-DIM (REF)	NOSE TYPE	MATERIAL	WEIGHT PER SET	QTY. PCS
10A04A1SPL2	2	3	6 19/32	0.749	1.032	1.750	1/2	3 25/32	30	6061	12	5
10A04S1MOD30	2	3	4.7	0.749	1.032	1.750	1/2	3 3/16	30	1018	24	14
10A04SMOD30	2	2	4 11/16	0.749	1.032	1.750	1/2	2 25/32	30	1018	16	14
10SP4S	2	2	4	0.623	0.782	1.625	1/2	2 7/32	SQ	1018	14	24
12A04S5	2	5	5	0.873	1.031	2.000	5/8	3 7/32	SQ	1018	43	14
12AMESTRA	2	3	6	0.700	0.782	2.625	M14	2 39/64	SQ	6061	11	15
15A04S4	2 1/2	6	5	0.999	1.531	2.500	3/4	2 15/32	SQ	1018	64	4
1824A54S	3	3	6	1.247	1.438	3.000	3/4	2 7/16	SQ	1018	46	9
21A547A	2 1/2	4	6	1.247	1.531	3.000	7/8	3 7/16	SQ	6061	18	16
24A04S	3	3 1/4	6	1.247	1.531	3.000		3 15/32	SQ	1018	50	6
3009S	1 3/4	2 1/2	4 1/8	0.875	1.031	2.000		2 11/32	SQ	1018	15	29
631CPREFG	2	3	4 1/2	0.875	1.031	2.000		2 23/32	30	1018	23	24
ABB6927S	2	3	3 3/8	0.625	0.502	1.125		2 5/16	30	1018	17	18
ABB-BULLARD	3	3	6	0.999	0.626	2.375	7/8	3	SQ	1018	46	13
ABB-BULLARD-SPL	3	3	12	0.999	0.626	2.375	7/8	9	SQ	1018	92	9
CARLTON 3X6X13	3	6	13	1.061	0.626	3.000	7/8	10	SQ	6061	68	8
CARLTON 3X5X6-1	3	3	6	1.061	0.502	3.000	7/8	3 1/16	SQ	6061	16	10
NB6S	2 1/2	2 1/2	3	0.374	0.376	1.250	3/8	1 13/16	30	1018	16	6

STYLE D BARGAIN LIST




ITEM	DIAMETER (A)	HEIGHT (B)	SLOT (D)	CROSS SLOT (E)	HOLE SPACE (F)	SCREW SIZE (G)	J-DIM (REF)	MATERIAL	WEIGHT PER SET	QTY. PCS
1012MDP	10	2	0.502	0.751	2.500	1/2	2 4/5	A319	16	9
10HDP1SPL	10	4	0.314	0.501	1.750	1/2	3 1/2	A319	32	9
10SPL	10	6	0.501	0.748	1.500	3/4	3 3/4	A319	46	6
158MDP2	15	2	0.501	0.751	3.000	5/8	5	A319	37	9
15HDP10	15	10	0.502	0.751	3.000	3/4	5 1/4	A319	175	3
18HDP6	18	6	0.502	0.751	3.000	3/4	6 1/2	A319	154	2
2410MDP1	24	4	0.502	0.752	2.125	1/2	3 1/2	A319	185	3
322418HDP1-7/8	32	4	0.502	0.751	3.000	7/8	6.5 9.5	A319	325	2
A12HDP	12	2 1/2	0.502	0.751	2.500	5/8	4 1/4	A319	29	3
BERG12P	12	2 1/2	0.553	0.764	2.375	1/2	4 1/4	A319	30	6
CHIN1510P	15	3	0.626	0.709	2.616	M10	2 7/8	A319	56	6
CI108MDP1	10	4	0.314	0.501	1.750	3/8	2 3/4	Cast Iron	80	11
CI15MDP1	15	4	0.502	0.751	3.000	5/8	5 1/4	Cast Iron	181	9
CI18HDP	18	1/2	0.502	0.751	3.000	3/4	6 1/2	Cast Iron	41	9
CI18MDP	18	3	0.502	0.751	3.000	5/8	6 1/2	Cast Iron	198	9
ST108HDP	10	2	0.314	0.501	1.750	1/2	2 3/4	1018	43	12
ST8MDP-1.0	8	1	0.314	0.501	1.750	3/8	2 3/4	1018	14	9
STM810MDP	8	1 1/2	0.476	0.788	1.574	M12	3	1018	20	15
ABB633THCAIB	10	4	0.477	1.012	2.105	M12	3 1/2	A319	32	11
ABB633THJA1B	18	6	0.477	1.012	2.105	M12	4 1/4	A319	155	9
ABB633THKAIA	20	3	0.475	1.020	2.125	1/2	3 33/64	A319	97	9
CIM6MDP1	6	4	0.316	0.709	1.260	M8	2 5/16	Cast Iron	30	29
M1210MDP	12	2 1/2	0.474	0.787	1.574	M12	4	A319	30	22
M1210MDP1	12	5	0.474	0.787	1.574	M12	4	A319	57	3
M12MDP6061	12	2 1/2	0.474	0.787	1.574	M12	5	6061	27	12
M15MDP8	15	8	0.475	1.020	2.128	M12	5 3/4	A319	141	3
M810MDP6061	8	1 3/4	0.475		1.574	M12	5 3/4	6061	9	15
M810MDP6061-1	8	2 1/2	0.475	0.787	1.574	M12	5 3/4	6061	12	27

STYLES E & X BARGAIN LIST



<u>ITEM</u>	<u>STYLE</u>	<u>DIAMETER</u> (A)	<u>HEIGHT</u> (B)	<u>SLOT</u> (D)	<u>CROSS</u> <u>SLOT</u> (E)	<u>HOLE</u> <u>SPACE</u> (F)	<u>SCREW</u> <u>SIZE</u> (G)	<u>J-DIM</u> (REF)	<u>MATERIAL</u>	<u>WEIGHT</u> <u>PER SET</u>	<u>QTY.</u> <u>PCS</u>
1215APH5	E	12	5	1.001	1.489	2.500	3/4	4	A319	55	11
12APH8	E	12	8	0.751	0.997	1.750	5/8	4 5/8	A319	88	3
8APH1SPL	E	8	2	0.748	0.748	1.625	1/2	3	A319	11	12
CHI10APH1	E	10	4	0.513	0.513	2.750	3/8	2 7/8	A319	33	12
CI12APH	E	12	5	0.751	0.997	1.750	1/2	4 5/8	A319	57	11
CI8LPP	E	8	2	0.668	0.602	1.250	1/2	3 3/16	Cast Iron	26	37
TDMST12APH1	E	12	2 1/2	0.751	0.997	1.750	1/2	3 45/64	1018	79	3

STYLES L & W BARGAIN LIST




ITEM	STYLE	DIAMETER (A)	HEIGHT (B)	SLOT (D)	CROSS TONGUE (E)	HOLE SPACE (F)	SCREW SIZE (G)	J-DIM (REF)	MATERIAL	WEIGHT PER SET	QTY. PCS
10SP4P	L	10	2	0.624	0.780	1.625	1/2	4	A319	17	9
15A04P12 ^{1 2}	L	15	4	0.998	1.532	2.500	3/4	6 7/16	A319	57	6
1824A54P6	L	18	6	1.248	1.532	3.000	7/8	6 7/8	A319	153	6
2015A04P8	L	20	8	-0.999	1.532	2.500	3/4	6	A319	252	3
2415A04P7	L	24	7	0.998	1.532	2.500	3/4	6	A319	319	3
ABB480019	L	18	4	0.998	1.532	2.500	3/4	6	A319	104	6
CI10A04P1	L	10	4	0.749	1.032	1.750	1/2	3 3/4	Cast Iron	81	15
CI1210A04P	L	12	2 1/2	0.749	1.032	1.750	1/2	3 3/4	Cast Iron	75	20
CI1210A04P1	L	12	5	0.749	1.032	1.750	1/2	3 3/4	Cast Iron	145	13
CI12A04P1	L	12	5	0.874	1.032	2.000	5/8	4 3/4	Cast Iron	143	12
CI1815A04P3	L	18	3	0.998	1.532	2.500	3/4	6	Cast Iron	199	6
CI2124A54P2	L	21	5	1.248	1.532	3.000	7/8	8	Cast Iron	443	3
ST15A04P3	L	15	3	0.998	1.532	2.500	3/4	6	A36	151	3

1 This part is a "Top Hat Part" Ø12" x 2-1/4" at the working surface.

2 This Part Has a cast web.

STYLES H & J BARGAIN LIST




ITEM	STYLE	WIDTH (A)	HEIGHT (B)	LENGTH (C)	SLOT (E)	HOLE SPACE (F)	SCREW SIZE (G)	SERRATION	NOSE TYPE	MATERIAL	WEIGHT PER SET	QTY. PCS
8JF2S ²	H	2	3	4	0.551	0.985	M12	60° X 3MM	30	1018	20	20
HOW10S5	H	2	5	5	0.631	1.181	M12	60° X 3MM	30	1018	43	16
HOW7MA15ASPL	H	2 1/2	2 1/2	6	0.829	1.575	M16	60° X 3MM	30	6061	11	6
HOW7MA15SSQ	H	2	2 1/2	5	0.829	1.575	5/8	60° X 3MM	SQ	1018	21	42
KTTHJA1121A1SPL	H	2 1/2	4	9 1/8	0.986	2.360	M20	60° X 3MM	SQ	6061	27	6
KTTSB18A	H	2 1/2	3	8 1/4	0.986	2.362	M20	60° X 3MM	SQ	6061	18	11
PC6511331	H	2 1/2	3 1/2	6 1/2	0.867	1.970	3/4	60° X 3MM	30	1018	48	28
632000049*	J	2 1/2	4	7 3/4	1.004	1.563	3/4	90° X 1/16	30	1018	66	3
ABB632000055	J	3	3	3 1/2	0.831	1.500		90° X 1/16	sq	1018	27	10
ABB632000064*	J	2 5/16	4	8	1.005	1.562	3/4	90° X 3/32	30	1018	63	8
ABB632000065*	J	2 1/2	3.88	8	1.007	1.562	3/4	90° X 3/32	30	6061	23	7
ABB632000066	J	2	4	5	0.998	2.350		90° X 1/16	30	1018	34	18
CA41943*1	J	1 1/4	1 1/2	3 1/4	0.551	0.720		90° X 1/16	30	6061	2	12
HAR6ESHASQ	J	1 1/4	1 1/2	3.09	0.553	0.787	3/8	90° X 1/16	SQ	6061	2	37
PH100S6	J	1 1/2	6	3 24/25	0.553	1.000	1/2	90° X 1/16	30	STEEL	30	6
PH1002A	J	2	2	4	0.554	0.875	3/8	90° X 1/16	30	6061	5	29
PH1002S	J	2	2	4	0.554	0.875	3/8	90° X 1/16	30	1018	14	6
PH1003A	J	2	3	4	0.554	0.875	3/8	90° X 1/16	30	6061	7	29
PH1003S	J	2	3	4	0.554	0.875	3/8	90° X 1/16	30	1018	20	82
PH1201A	J	2	3	6	0.789	1.187	1/2	90° X 1/16	30	6061	11	22
PH1204ASQ*	J	2	2	4	0.831	1.187	1/2	90° X 1/16	SQ	6061	5	34
PH1205SHD*	J	2	3	6	0.831	1.187	5/8	90° X 1/16	30	1018	31	16
PH1206SSPL	J	2	2	6	0.826	1.187	1/2	90° X 1/16	30	1018	20	32
PH1401A	J	2 1/2	5	6	0.829	1.562	5/8	90° X 1/16	30	6061	22	25
PH1502S	J	2	2 1/2	4 1/2	0.829	2.000	5/8	90° X 1/16	30	1018	19	26
PH1503S	J	2	2 1/2	6	0.829	2.000	5/8	90° X 1/16	30	1018	26	39
PH1602A-10L	J	2 1/2	3	10	1.006	1.562	3/4	90° X 3/32	30	6061	22	5
SMW1206S*	J	2	4	6	0.831	1.187	5/8	90° X 1/16	30	1018	41	27
SMW15A-4J*	J	2 1/2	3	6 1/4	1.007	1.496	M20	90° X 3/32	45	6061	18	8
SPLMVL2*	J	2 1/2	6	10	1.006	1.563	3/4	90° X 3/32	30	1018	128	14
SWB8S*	J	1 1/2	2 1/2	3 1/2	0.475	0.820	M12	90° X 1/16	30	1018	11	70
TF1003D	J	1 1/2	3	4 1/8	0.671	1.000	1/2	90° X 1/16	45	6061	5	36
TF1003E	J	1 1/2	4	4 1/8	0.669	1.000	1/2	90° X 1/16	45	6061	7	22
TF1003F	J	2	2	5 1/4	0.827	1.187	M16	90° X 1/16	45	6061	6	14
TF1003G	J	2	3	5 1/4	0.829	1.750	5/8	90° X 1/16	45	6061	9	11
TF1006-G	J	2	3	5 1/4	0.829	1.187	5/8	90° X 1/16	45	6061	9	14
TF1011-1	J	2	3	4	0.829	1.187	5/8	90° X 1/16	45	6061	7	18
TF1011A	J	2	3	4	0.829	1.187	5/8	90° X 1/16	45	6061	7	14
TF1011B	J	2	4	4	0.829	1.187	5/8	90° X 1/16	45	6061	9	14

*THREE HOLE PART

1 Pad Length is 2 1/8"


2 Part has a pad relief of 1.43

STYLES K & S BARGAIN LIST




ITEM	STYLE	DIAMETER (A)	HEIGHT (B)	SLOT (E)	HOLE SPACE (F)	SCREW SIZE (G)	SERRATION	J-DIM (REF)	MATERIAL	WEIGHT PER SET	QTY. PCS
6LVEP	K	6	2	0.511	0.700	M8	90° X 1/16	1 1/8	A319	6	8
B100P	K	10	2	0.829	1.020	5/8	90° X 1/16	3 11/32	6061	15	6
B215M02000	K	8	2	0.551	1.250	M10	90° X 1/16	2	A319	10	11
B5.5P02	K	5 1/2	2.13	0.434	0.656	5/16	90° X 1/16	1 17/32	6061	5	18
CIAUTO5P	K	6	2	0.475	0.630	5/16	90° X 1/16	1 13/32	A319	6	10
CIKTT5PSPL	K	6	2	0.394	0.748	M10	90° X 1/16	1 1/8	Cast Iron	15	9
CIPH01078AP	K	10	4	0.553	0.875	3/8	90° X 1/16	3 1/2	Cast Iron	80	18
CIPH01278AP	K	12	5	0.789	1.187	1/2	90° X 1/16	4	Cast Iron	142	9
CIPH600AP	K	6	2	0.436	0.719	5/16	90° X 1/16	1 7/16	Cast Iron	15	27
CIPH601AP	K	6	4	0.436	0.719	5/16	90° X 1/16	1 7/16	Cast Iron	29	23
CIPH81078AP	K	8	4	0.553	0.875	3/8	90° X 1/16	2 11/16	Cast Iron	50	36
CIRCD10P	K	10	2	0.829	1.187	1/2	90° X 1/16	3	Cast Iron	42	17
CISMW6.5AP	K	6	2	0.553	0.650	3/8	90° X 1/16	1 11/16	Cast Iron	15	6
CISMW86.5P	K	8	2	0.553	0.875	3/8	90° X 1/16	2 11/16	Cast Iron	27	8
CISMW8P	K	8	2	0.672	0.875	M12	90° X 1/16	2 11/16	Cast Iron	27	47
CISMWEF101AP	K	10	4	0.829	1.187	1/2	90° X 1/16	1 7/8	Cast Iron	79	21
HAR810ESH-2	K	8	2	0.829	1.187	5/8	90° X 1/16	2 1/4	A319	10	6
PH10601AP	K	10	4	0.436	0.719	5/16	90° X 1/16	1 7/16	A319	33	9
PH1278APSPL	K	12	4	0.829	1.220	5/8	90° X 1/16	2 51/64	A319	45	20
PH18PSPL	K	18	3	1.192	2.000	M20	90° X 1/16	5 3/4	A319	76	3
PH211577AP	K	21	3	0.829	1.560	5/8	90° X 1/16	5	A319	106	3
PH241577AP	K	24	3	0.829	1.560	5/8	90° X 1/16	5	A319	140	9
SMWEF103AP	K	10	8	0.829	1.187	1/2	90° X 1/16	1 7/8	A319	61	6
SMWEF121APSPL	K	12	5	0.829	2.000	5/8	90° X 1/16	3	A319	57	37
SMWEF2400APSPL	K	24	4	1.104	1.560	M20	90° X 3/32	7 1/4	A319	175	9
6JFP	S	6	2	0.475	0.787	3/8	60° x 3MM	1 21/32	A319	6	6
ABBCIKTT1821P1	S	18	4	0.986	2.360	M20	60° x 3MM	4 1/2	Cast Iron	256	3
CIHOW10P	S	10	2	0.631	1.181	M12	60° x 3MM	3	Cast Iron	42	17
CIHOW15PNH	S	15	3	1.026			60° x 3MM		Cast Iron	140	6
CIHOW18P	S	18	3	1.025	2.500	M20	60° x 3MM	3 3/16	Cast Iron	197	3
CIHOW7MA15P1	S	15	4	0.829	1.575	M16	60° x 3MM	4 1/8	Cast Iron	181	6
CIHOW8P1	S	8	4	0.553	0.985	M12	60° x 3MM	2	Cast Iron	50	11
HOW1812P1	S	18	4	0.711	1.181	M14	60° x 3MM	3 19/32	A319	105	8
HOW24P1	S	24	4	1.026	1.970	M20	60° x 3MM	7 23/32	A319	182	6
KTT18P1ASPL	S	18	4	0.986	1.693	M20	60° x 3MM	4 1/4	A319	103	9
MTT3215P1	S	32	4	0.867	1.969	M20	60° x 3MM	4 1/8	A319	332	3

STYLE P BARGAIN LIST



ITEM	WIDTH	HEIGHT	LENGTH	SLOT	HOLE SPACE	SCREW SIZE	SERRATION	NOSE TYPE	MATERIAL	WEIGHT PER SET	QTY. PCS
	(A)	(B)	(C)	(E)	(F)	(G)					
ABB68251	1 1/2	2	4 1/4	0.631	1.250	M12	60° x 1.5mm	30	1018	11	31
ABBKTT10A2*	1 1/2	4	4 3/4	0.631	1.181	M12	60° x 1.5mm	30	6061	8	17
ABBKTT12S1ASQ8L*	2	3	8	0.711	1.181	M14	60° x 1.5mm	SQ	1018	41	3
ABBKTT15A1*	2 1/2	4	6 1/2	0.867	1.693	M20	60° x 1.5mm	30	6061	19	45
ABKT12S1ASQ8L3M*	2	3	8	0.711	1.181	M14	60° x 1.5mm	SQ	1018	41	4
BROOK10A	2 1/2	2 1/2	4 1/4	0.631	1.260	M12	60° x 1.5mm	SQ	6061	8	29
HAR8MSHASQ	1 1/2	2	3.76	0.552	0.985	M12	60° x 1.5mm	SQ	6061	3	27
HOW5SSPL	1 1/4	3	2 1/2	0.394	0.748	M8	60° x 1.5mm	30	1018	8	22
KTT1012A	2	2	4 1/2	0.711	1.181	M14	60° x 1.5mm	30	6061	5	15
KTT1012A1	2	3	4 1/2	0.711	1.181	M14	60° x 1.5mm	30	6061	8	31
KTT1012S3	2	2	4 1/2	0.711	1.181	M14	60° x 1.5mm	30	1018	15	29
KTT10S1SPL	1 1/2	5	3 1/2	0.631	1.181	M12	60° x 1.5mm	30	1018	22	14
KTT10S1SPLSQ	1 1/2	5	3 1/2	0.631	1.181	M12	60° x 1.5mm	SQ	1018	22	4
KTT10S-3WSQ	3	2	4 1/2	0.631	1.181	M12	60° x 1.5mm	SQ	1018	23	13
KTT10S-4WSQ	4	2	4 1/2	0.630	1.181	M12	60° x 1.5mm	SQ	1018	31	13
KTT10S-5WSQ	5	2	4 1/2	0.630	1.181	M12	60° x 1.5mm	SQ	1018	38	13
KTT12A1A4	2	4	9	0.711	1.181	M12	60° x 1.5mm	30	6061	21	6
KTT12A1A8L7075	2 1/2	3	8	0.711	1.181	M14	60° x 1.5mm	SQ	7075	18	3
KTT12A1ASQ	2	3	5 1/8	0.711	1.181	M14	60° x 1.5mm	SQ	6061	9	3
KTT12A1BMOD	2	3	5 1/2	0.711	1.488	M12	60° x 1.5mm	30	6061	10	22
KTT12A1SQ-6LNH	2	3	6	0.711			60° x 1.5mm	SQ	6061	11	11
KTT12A5SQ	2	5	4	0.711	1.181	M14	60° x 1.5mm	SQ	6061	12	5
KTT12S5ANH	2	4	5 1/8	0.711			60° x 1.5mm	30	1018	35	18
KTT12SB8L	2	3	8	0.711	1.488	M14	60° x 1.5mm	SQ	1018	41	17
KTT4A2	3/4	3	2	0.317	0.591	M6	60° x 1.5mm	30	6061	1	9
KTT4S2	3/4	3	2	0.317	0.591	M6	60° x 1.5mm	30	1018	4	3
KTT4S2MOD	3/4	3	2	0.313	0.591	M6	60° x 1.5mm	30	1018	4	6
KTT8A27075	1 1/2	4	4 1/2	0.552	0.985	M12	60° x 1.5mm	30	7075	8	22
KTT8S-2J	3	1 3/4	4	0.552	0.985	M12	60° x 1.5mm	SQ	1018	12	33
KTT8SNH	1 1/2	2	4				60° x 1.5mm		1018	10	3
MTT10S1GX	1 1/2	3	4 1/2	0.631	1.250	M12	60° x 1.5mm	30	1018	17	16
MTT10SSQ	1 1/2	2	4 1/2	0.631	1.250	M12	60° x 1.5mm	SQ	1018	12	60
SEIKI12S1ASPL	2	3	5 1/2	0.711	1.260	M14	60° x 1.5mm	30	1018	28	15

STYLE Q BARGAIN LIST




ITEM	DIAMETER	HEIGHT	SLOT	HOLE SPACE	SCREW SIZE	SERRATION	J-DIM (REF)	MATERIAL	WEIGHT PER SET	QTY. PCS
	(A)	(B)	(E)	(F)	(G)					
ABBKTT1512P1*	15	4	0.711	1.181	M14	60° x 1.5mm	3 3/8	A319	71	6
ABBKTT15P1*	15	4	0.867	1.690	M20	60° x 1.5mm	4 5/16	A319	70	13
ABBKTT1815P1*	18	4	0.867	1.693	M20	60° x 1.5mm	4 5/16	A319	102	11
CIAUTO8P	8	2	0.671	0.905	M12	60° x 1.5mm	2	Cast Iron	26	15
CIHAR6MSHP1	6	4	0.474	0.787	M10	60° x 1.5mm	1.8	Cast Iron	28	24
CIHOW27M12P1	12	5	0.829	1.377	M16	60° x 1.5mm	2 3/4	Cast Iron	142	3
CIHOW27M1512P	15	3	0.829	1.378	M16	60° x 1.5mm	3 7/8	Cast Iron	137	9
CIJAP12P	12	2 1/2	0.790	1.377	M14	60° x 1.5mm	3 7/16	Cast Iron	74	8
CIKTT10P1.828	10	4	0.829	1.181	M16	60° x 1.5mm	2 1/2	Cast Iron	77	12
CIKTT5P.713	6	2	0.396	0.713	M8	60° x 1.5mm	1 1/8	Cast Iron	15	15
CIKTT5P1	6	4	0.396	0.713	M8	60° x 1.5mm	1 1/8	Cast Iron	29	22
CIKTT8P-3/8	8	2	0.552	0.985	M10	60° x 1.5mm	2	Cast Iron	26	3
CISUG12PSTM	12	2 1/2	0.790	1.377	M12	60° x 1.5mm	3 7/16	Cast Iron	75	9
CISUG5PSTS	6	2	0.435	0.669	M8	60° x 1.5mm	1 27/32	Cast Iron	15	3
CISUG6P1STS	6	4	0.435	0.984	M8	60° x 1.5mm	1 3/8	Cast Iron	29	21
HOW27H58P	8	2	0.465	0.700	M8	60° x 1.5mm	2	A319	11	12
HOW5P2.5	6	2 1/2	0.395	0.748	M8	60° x 1.5mm	1 39/64	A319	7	6
KTT15P1TH¹	15	4	0.867	1.693	M20	60° x 1.5mm	4 5/16	A319	72	5
KTT15P6TH¹	15	6	0.867	1.693	M20	60° x 1.5mm	4 5/16	A319	106	8
KTT18P1SPL	18	4	1.001	1.690	M20	60° x 1.5mm	4 5/16	A319	103	9
KTT2115P1SPL	21	4	0.867	1.690	M20	60° x 1.5mm	5 5/16	A319	140	12
KTT2118P8SPL	21	8	1.002	1.693	M18	60° x 1.5mm	5 1/4	A319	276	6
KTT2118PSPL	21	3	1.002	1.693	M18	60° x 1.5mm	5 1/4	A319	106	12
KTT21N18P	21	3	1.005	1.693	M20	60° x 1.5mm	5 1/8	A319	106	6
KTT21P1SPL	21	4	0.986	2.362	M20	60° x 1.5mm	4 3/4	A319	141	6
KTT2415P1NH	24	4	0.867			60° x 1.5mm		A319	186	3
KTT2415P1SPL	24	4	0.867	1.693	M20	60° x 1.5mm	5 5/16	A319	184	9
KTT2415PSPL	24	3	0.867	1.693	M20	60° x 1.5mm	5 5/16	A319	139	3
KTT6P1NH	6	4	0.475			60° x 1.5mm		A319	12	6
KTT8P16061	8	4	0.552	0.984	M12	60° x 1.5mm	2	6061	19	30
KTT8P6061	8	2	0.552	0.984	M12	60° x 1.5mm	2	6061	10	6
MTT10P10	10	10	0.631	1.260	M12	60° x 1.5mm	2 7/8	A319	78	3
PBA86P	8	2	0.475	0.985	3/8	60° x 1.5mm	1 3/4	A319	11	3
PBA106P	10	2	0.475	0.984	M10	60° x 1.5mm	1 3/4	A319	17	24
PH181577APSPL*	18	3	0.829	1.560	M16	60° x 1.5mm	5	A319	78	14
STHAR10MSHP	10	2	0.631	1.181	M12	60° x 1.5mm	2 3/4	1018	45	9

* Three Hole Part

¹ This Part is a Top Hat with a 12" Diameter

STYLE O BARGAIN LIST



<u>ITEM</u>	<u>Material</u>	<u>Outer Diameter</u>	<u>Inner Diameter</u>	<u>Height</u>	<u>Pieces Per Set</u>	<u>Weight Each</u>	<u>Weight per set</u>	<u>Number On Hand</u>
157SP24J	A319	15	7	2	4	7	28	8
157SP44J	A319	15	7	4	4	14	56	8
1812SP24J	A319	18	12	2	4	7	28	2
1812SP44J	A319	18	12	4	4	15	60	6
2418SP24J	A319	24	18	2	4	10	40	8
2418SP44J	A319	24	18	4	4	20	80	31
2618SP6	A319	26	18	6	3	56	168	3
3024SP24J	A319	30	24	2	4	13	52	4
3024SP44J	A319	30	24	4	4	26	104	21
3024SP64J	A319	30	24	6	4	39	156	4
3226SP4-1	A319	32	26	4	3	37	111	5
36303024SP4*	A319	36	30	4	3	42	126	9
3630SP24J	A319	36	30	2	4	16	64	15
3630SP24JOS	A319	36	30	2	4	16	64	10
3630SP2-OS	A319	36	30	2	3	21	63	8
3630SP44J	A319	36	30	4	4	32	128	8
4030SP4SPL	A319	40	30	4	3	74	222	9
4032SP44J	A319	40	32	4	4	46	184	4
4842SP44J	A319	48	42	4	4	43	172	8
5444SP2	A319	54	44	2	3	52	156	6